



Industrial Panel PC

High Brightness options
Extended Temperature options
Stainless Steel Enclosure options
Capacitive and Resistive Touchscreen options
Windows or Linux Operating Systems

Effective November 3, 2025

Base Models

Model Number	Display & Touchscreens					CPU	Storage		Enclosure	Features	Operating System	List Price
	Size	Resolution	Nits	Contrast Ratio	Touchscreen		SSD	RAM				
<u>OMI6807CP</u>	7.0"	800 x 480	350	1000:1	Projected Capacitive	Intel Celeron J6412 2.0 GHz	128GB MLC SSD (256GB ~1TB avail.)	8GB (16~32GB avail.)	Aluminum Enclosure	UL, IP66, NEMA 4, Wi-Fi Available	Win 11 IoT Ent GAC 2022 64-bit (Linux avail.)	\$1545
<u>OMI6808CP</u>	8.0"	800 x 600	450	500:1	Projected Capacitive	Intel Celeron J6412 2.0 GHz	128GB MLC SSD (256GB ~1TB avail.)	8GB (16~32GB avail.)	Aluminum Enclosure	UL, IP66, NEMA 4, Wi-Fi Available	Win 11 IoT Ent GAC 2022 64-bit (Linux avail.)	\$1630
<u>OMI6810CP</u>	10.1"	1280 x 800	350	800:1	Projected Capacitive	Intel Celeron J6412 2.0 GHz	128GB MLC SSD (256GB ~1TB avail.)	8GB (16~32GB avail.)	Aluminum Enclosure	UL, IP66, NEMA 4, Wi-Fi Available	Win 11 IoT Ent GAC 2022 64-bit (Linux avail.)	\$1655
<u>PCS6810AP</u>	10.1"	1280 x 800	350	800:1	Projected Capacitive	Intel Celeron N2930 1.83GHz	64GB MLC SSD (128GB ~1TB avail.)	4GB	304 Stainless Steel Front	IP66/IP69K NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 64-bit (Linux avail.)	\$1935
<u>OMI6810BPHEB</u>	10.1"	1280 x 800	1000	1000:1	Optically Bonded Capacitive	Intel Apollo Lake N4200 1.1GHz	64GB MLC SSD (128 ~1TB avail.)	4GB	Aluminum Enclosure	Wide-Operating Temp., UL, IP66/IP69K, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 64-bit (Linux avail.)	\$2210
<u>PCS6810APHEB</u>	10.1"	1280 x 800	1000	1000:1	Optically Bonded Capacitive	Intel Celeron N2930 1.83GHz	64GB MLC SSD (128GB ~1TB avail.)	4GB	304 Stainless Steel Front	Wide-Operating Temp, IP66/IP69KN EMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 64-bit (Linux avail.)	\$2210
<u>PC1210AP</u>	10.4"	1024 x 768	350	1000:1	Projected Capacitive	Intel Pentium N4200 1.1 GHz	64GB SSD (128GB ~1TB avail.)	4GB (8GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (Linux avail.)	\$1815

Model Number	Display & Touchscreen					CPU	Storage		Enclosure	Features	Operating System	List Price
	Size	Resolution	Nits	Contrast Ratio	Touchscreen		SSD	RAM				
<u>PC1210APH</u>	10.4"	1024 x 768	1000	1000:1	Projected Capacitive	Intel Pentium N4200 1.1 GHz	64GB SSD (128GB ~1TB avail.)	4GB (8GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (Linux avail.)	\$2035
<u>PC1310AP</u>	10.4"	1024 x 768	350	1000:1	Projected Capacitive	Intel i3-7100U 2.4 GHz (i5, i7 options)	64GB SSD (128GB ~1TB avail.)	4GB (8~32GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (WIN11 or Linux avail.)	\$2430
<u>PC1310APH</u>	10.4"	1024 x 768	1000	1000:1	Projected Capacitive	Intel i3-7100U 2.4 GHz (i5, i7 options)	64GB SSD (128GB ~1TB avail.)	4GB (8~32GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (WIN11 or Linux avail.)	\$2615
<u>OMI6812CP</u>	12.1"	1024 x 768	500	1000:1	Projected Capacitive	Intel Celeron J6412 2.0 GHz	128GB MLC SSD (256GB ~1TB avail.)	8GB (16~32GB avail.)	Aluminum Enclosure	UL , IP66, NEMA 4, Wi-Fi Available	Win 11 IoT Ent GAC 2022 64-bit (Linux avail.)	\$1795
<u>PC1212AP</u>	12.1"	1024 x 768	450	700:1	Projected Capacitive	Intel Pentium N4200 1.1 GHz	64GB SSD (128GB ~1TB avail.)	4GB (8GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (Linux avail.)	\$1845
<u>PC1212APH</u>	12.1"	1024 x 768	1000	700:1	Projected Capacitive	Intel Pentium N4200 1.1 GHz	64GB SSD (128GB ~1TB avail.)	4GB (8GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (Linux avail.)	\$2060
<u>PCS6812AP</u>	12.1"	800 x 600	330	800:1	Projected Capacitive	Intel Celeron N2930 1.83GHz	64GB MLC SSD (128GB ~1TB avail.)	4GB	304 Stainless Steel Front Aluminum chassis	IP66/IP69K, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 64-bit (Linux avail.)	\$2155
<u>OMI6912BP</u>	12.1"	800 x 600	450	1500:1	Projected Capacitive	Intel Core i5 6300U 2.4GHz	64GB MLC SSD (128GB ~1TB options)	8GB (16GB option)	Aluminum Enclosure	UL , IP66, NEMA4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 64-bit	\$2375
<u>OMI6812BPHEB</u>	12.1"	800 x 600	1000	700:1	Optically Bonded Capacitive	Intel Apollo Lake N4200 1.1GHz	64GB MLC SSD (128GB ~1TB avail.)	4GB	Aluminum Enclosure	Wide-Operating Temp., UL , IP66, NEMA4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 64-bit (Linux avail.)	\$2460
<u>PCS6812APHEB</u>	12.1"	800 x 600	1000	700:1	Optically Bonded Capacitive	Intel Celeron N2930 1.83GHz	64GB MLC SSD (128GB ~1TB avail.)	4GB	304 Stainless Steel Front Aluminum Chassis	Wide-Operating Temp. IP66/IP69K, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 64-bit (Linux avail.)	\$2460
<u>PC1312AP</u>	12.1"	1024 x 768	450	700:1	Projected Capacitive	Intel i3-7100U 2.4 GHz (i5, i7 options)	64GB SSD (128GB ~1TB avail.)	4GB (8~32GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (WIN11 or Linux avail.)	\$2480
<u>PC1312APH</u>	12.1"	1024 x 768	1000	700:1	Projected Capacitive	Intel i3-7100U 2.4 GHz (i5, i7 options)	64GB SSD (128GB ~1TB avail.)	4GB (8~32GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (WIN11 or Linux avail.)	\$2665
<u>OMI6815CP</u>	15.0"	1024 x 768	350	1000:1	Projected Capacitive	Intel Celeron J6412 2.0 GHz	128GB MLC SSD (256GB ~1TB avail.)	8GB (16~32GB avail.)	Aluminum Enclosure	UL , IP66, NEMA 4, Wi-Fi Available	Win 11 IoT Ent GAC 2022 64-bit (Linux avail.)	\$1895

Model Number	Display & Touchscreens					CPU	Storage		Enclosure	Features	Operating System	List Price
	Size	Resolution	Nits	Contrast Ratio	Touchscreen		SSD	RAM				
<u>PC1215AP</u>	15.0"	1024 x 768	300	2000:1	Projected Capacitive	Intel Pentium N4200 1.1 GHz	64GB SSD (128GB ~1TB avail.)	4GB (8GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (Linux avail.)	\$1920
<u>PC1215APH</u>	15.0"	1024 x 768	1000	2000:1	Projected Capacitive	Intel Pentium N4200 1.1 GHz	64GB SSD (128GB ~1TB avail.)	4GB (8GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (Linux avail.)	\$2180
<u>PCS6815AP</u>	15.0"	1024 x 768	450	800:1	Projected Capacitive	Intel Celeron N2930 1.83GHz	64GB MLC SSD (128GB~1TB avail.)	4GB	304 Stainless Steel Front Aluminum chassis	IP66/IP69K , NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 64-bit (Linux avail.)	\$2415
<u>PC2315B</u>	15.0"	1024 x 768	400	600:1	Resistive	Intel® Dual Core™ i3-3.4GHz (i5, i7)	64GB MLC SSD (128GB ~1TB avail.)	8GB (16GB ~32GB avail.)	Black Steel Chassis Aluminum Heatsink	IP65, NEMA4, Digital I/O Port , Wi-Fi	Win 10 IoT Ent LTSC 2021 64-bit (WIN11)	\$2475
<u>OMI6915BP</u>	15.0"	1024 x 768	300	2000:1	Capacitive	Intel Core i5 6300U 2.4GHz	64GB MLC SSD	8GB	Aluminum Enclosure	UL , IP66, NEMA4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 64-bit (Linux avail.)	\$2530
<u>PC1315AP</u>	15.0"	1024 x 768	300	2000:1	Projected Capacitive	Intel i3-7100U 2.4 GHz (i5, i7 options)	64GB SSD (128GB ~1TB avail.)	4GB (8~32GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (WIN11 or Linux avail.)	\$2535
<u>PC8115AP</u>	15.0"	1024 x 768	450	800:1	Projected Capacitive	Intel Celeron J6412 2.0 GHz	128GB MLC SSD (256GB ~2TB avail.)	8GB (16~32GB avail.)	304 Stainless Steel	IP66/IP69K all sides , Wi-Fi Available	Win 11 IoT Ent LTSC 2022 64-bit (WIN10, Linux avail.)	\$2600
<u>PC1315APH</u>	15.0"	1024 x 768	1000	2000:1	Projected Capacitive	Intel i3-7100U 2.4 GHz (i5, i7 options)	64GB SSD (128GB ~1TB avail.)	4GB (8~32GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (WIN11 or Linux avail.)	\$2775
<u>OMI6815BPHEB</u>	15.0"	1024 x 768	1000	800:1	Optically Bonded Capacitive	Intel Apollo Lake N4200 1.1GHz	64GB MLC SSD (128 ~1TB avail.)	4GB	Aluminum Enclosure	Wide-Operating Temp., UL, IP66 , NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 64-bit (Linux avail.)	\$2795
<u>PCS6815APHEB</u>	15.0"	1024 x 768	1000	800:1	Optically Bonded Capacitive	Intel Celeron N2930 1.83GHz	64GB MLC SSD (128GB ~1TB avail.)	4GB	304 Stainless Steel Front Aluminum Chassis	Wide-Operating Temp., IP66/IP69K , NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 64-bit (Linux avail.)	\$2795
<u>OMI6816CP</u>	15.6"	1920 x 1080	500	1000:1	Projected Capacitive	Intel Celeron J6412 2.0 GHz	128GB MLC SSD (256GB ~1TB avail.)	8GB (16~32GB avail.)	Aluminum Enclosure	UL , IP66, NEMA 4, Wi-Fi Available	Win 11 IoT Ent GAC 2022 64-bit (WIN11 or Linux avail.)	\$2005
<u>PC1216AP</u>	15.6"	1920 x 1080	450	500:1	Projected Capacitive	Intel Pentium N4200 1.1 GHz	64GB SSD (128GB ~1TB avail.)	4GB (8GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (Linux avail.)	\$2170
<u>PC1216APH</u>	15.6"	1920 x 1080	1000	500:1	Projected Capacitive	Intel Pentium N4200 1.1 GHz	64GB SSD (128GB ~1TB avail.)	4GB (8GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (Linux avail.)	\$2350

Model Number	Display & Touchscreen					CPU	Storage		Enclosure	Features	Operating Systems	List Price
	Size	Resolution	Nits	Contrast Ratio	Touchscreen		SSD	RAM				
PC8116AP	15.6"	1366 x 768	400	500:1	Projected Capacitive	Intel Celeron J6412 2.0 GHz	128GB MLC SSD (256GB ~2TB avail.)	8GB (16~32GB avail.)	304 Stainless Steel	IP66/IP69K all sides, Wi-Fi Available	Win 11 IoT Ent LTSC 2022 64-bit (WIN10, Linux avail.)	\$2500
<u>OMI6916BP</u>	15.6"	1366 x 768	400	500:1	Capacitive	Intel Core i5 6300U 2.4GHz	64GB MLC SSD (128 ~1TB avail.)	8GB (16GB avail.)	Aluminum Enclosure	UL , IP66, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 64-bit	\$2740
<u>PC1316AP</u>	15.6"	1920 x 1080	450	1000:1	Projected Capacitive	Intel i3-7100U 2.4 GHz (i5, i7 options)	64GB SSD (128GB ~1TB avail.)	4GB (8~32GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (WIN11 or Linux avail.)	\$2765
<u>PC1316APH</u>	15.6"	1920 x 1080	1000	1000:1	Projected Capacitive	Intel i3-7100U 2.4 GHz (i5, i7 options)	64GB SSD (128GB ~1TB avail.)	4GB (8~32GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (WIN11 or Linux avail.)	\$2855
<u>OMI6817CP</u>	17.0"	1280 x 1024	350	1000:1	Projected Capacitive	Intel Celeron J6412 2.0 GHz	128GB MLC SSD (256GB ~1TB avail.)	8GB (16~32GB avail.)	Silver Aluminum Bezel	UL, CE, IP66, NEMA 4, Wi-Fi Available	Win 11 IoT Ent GAC 2022 64-bit (WIN11 or Linux avail.)	\$1950
<u>PC1217AP</u>	17.0"	1280 x 1024	250	1000:1	Projected Capacitive	Intel Pentium N4200 1.1 GHz	64GB SSD (128GB ~1TB avail.)	4GB (8GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (Linux avail.)	\$2010
<u>PC1217APH</u>	17.0"	1280 x 1024	1000	1000:1	Projected Capacitive	Intel Pentium N4200 1.1 GHz	64GB SSD (128GB ~1TB avail.)	4GB (8GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (Linux avail.)	\$2325
<u>PC1317AP</u>	17.0"	1280 x 1024	250	1000:1	Projected Capacitive	Intel i3-7100U 2.4 GHz (i5, i7 options)	64GB SSD (128GB ~1TB avail.)	4GB (8~32GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (WIN11 or Linux avail.)	\$2660
<u>PC2317B</u>	17.0"	1280 x 1024	400	600:1	Resistive	Intel® Dual Core™ i3-3.4GHz (i5, i7 options)	64GB MLC SSD (128GB ~1TB avail.)	8GB (16GB ~32GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA4, Digital I/O Port , Wi-Fi Available	Win 10 IoT Ent LTSC 2021 64-bit (WIN11 avail.)	\$2685
PC8117AP	17.0"	1028 x 1024	350	800:1	Projected Capacitive	Intel Celeron J6412 2.0 GHz	128GB MLC SSD (256GB ~2TB avail.)	8GB (16~32GB avail.)	304 Stainless Steel	IP66/IP69K all sides, Wi-Fi Available	Win 11 IoT Ent LTSC 2022 64-bit (WIN10, Linux avail.)	\$2700
<u>PC1317APH</u>	17.0"	1280 x 1024	1000	1000:1	Projected Capacitive	Intel i3-7100U 2.4 GHz (i5, i7 options)	64GB SSD (128GB ~1TB avail.)	4GB (8~32GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (WIN11 or Linux avail.)	\$2900
<u>OMI6818CP</u>	18.5"	1920 x 1080	300	1000:1	Projected Capacitive	Intel Celeron J6412 2.0 GHz	128GB MLC SSD (256GB ~1TB avail.)	8GB (16~32GB avail.)	Aluminum Enclosure	UL , IP66, NEMA 4, Wi-Fi Available	Win 11 IoT Ent GAC 2022 64-bit (Linux avail.)	\$2295
<u>OMI6918BP</u>	18.5"	1366 x 768	300	1000:1	Projected Capacitive	Intel Core i5 6300U 2.4GHz	64GB MLC SSD (128GB ~1TB avail.)	8GB (16GB avail.)	Aluminum Enclosure	UL , IP66, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 64-bit	\$3170

Model Number	Display & Touchscreens					CPU	Storage		Enclosure	Features	Operating Systems	List Price
	Size	Resolution	Nits	Contrast Ratio	Touchscreen		SSD	RAM				
<u>PC1219AP</u>	19.0"	1280 x 1024	350	1000:1	Projected Capacitive	Intel Pentium N4200 1.1 GHz	64GB SSD (128GB ~1TB avail.)	4GB (8GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (Linux avail.)	\$2170
<u>PC1219APH</u>	19.0"	1280 x 1024	1000	1000:1	Projected Capacitive	Intel Pentium N4200 1.1 GHz	64GB SSD (128GB ~1TB avail.)	4GB (8GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (Linux avail.)	\$2365
<u>OMI6819CP</u>	19.0"	1280 x 1024	350	1000:1	Projected Capacitive	Intel Celeron J6412 2.0 GHz	128GB MLC SSD (256GB ~1TB avail.)	8GB (16~32GB avail.)	Aluminum Enclosure	UL , IP66, NEMA 4, Wi-Fi Available	Win 11 IoT Ent GAC 2022 64-bit (Linux avail.)	\$2400
<u>PC1319AP</u>	19.0"	1280 x 1024	350	1000:1	Projected Capacitive	Intel i3-7100U 2.4 GHz (i5, i7 options)	64GB SSD (128GB ~1TB avail.)	4GB (8~32GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (WIN11 avail.)	\$2760
<u>PC2319B</u>	19.0"	1280 x 1024	400	600:1	Resistive	Intel® Dual Core™ i3-3.4GHz (i5, i7 options)	64GB MLC SSD (128GB ~1TB avail.)	8GB (16GB ~32GB avail.)	Black Steel Chassis Aluminum Heatsink	IP65, NEMA4, Digital I/O Port , Wi-Fi Available	Win 10 IoT Ent LTSC 2021 64-bit (WIN11 or Linux avail.)	\$2895
<u>PC1319APH</u>	19.0"	1280 x 1024	1000	1000:1	Projected Capacitive	Intel i3-7100U 2.4 GHz (i5, i7 options)	64GB SSD (128GB ~1TB avail.)	4GB (8~32GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (WIN11 or Linux avail.)	\$2955
<u>PC1221AP</u>	21.5"	1920 x 1080	250	3000:1	Projected Capacitive	Intel Pentium N4200 1.1 GHz	64GB SSD (128GB ~1TB avail.)	4GB (8GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (Linux avail.)	\$2335
<u>OMI6821CP</u>	21.5"	1920 x 1080	300	1000:1	Projected Capacitive	Intel Celeron J6412 2.0 GHz	128GB MLC SSD (256GB ~1TB avail.)	8GB (16~32GB avail.)	Aluminum Enclosure	UL , IP66, NEMA 4, Wi-Fi Available	Win 11 IoT Ent GAC 2022 64-bit (Linux avail.)	\$2350
<u>PC1221APH</u>	21.5"	1920 x 1080	1000	3000:1	Projected Capacitive	Intel Pentium N4200 1.1 GHz	64GB SSD (128GB ~1TB avail.)	4GB (8GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (Linux avail.)	\$2460
<u>PC1321AP</u>	21.5"	1920 x 1080	250	3000:1	Projected Capacitive	Intel i3-7100U 2.4 GHz (i5, i7 options)	64GB SSD (128GB ~1TB avail.)	4GB (8~32GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (WIN11 or Linux avail.)	\$2740
<u>PC8121AP</u>	21.5"	1920 x 1280	350	1000:1	Projected Capacitive	Intel Celeron J6412 2.0 GHz	128GB MLC SSD (256GB ~2TB avail.)	8GB (16~32GB avail.)	304 Stainless Steel	IP66/IP69K all sides , Wi-Fi Available	Win 11 IoT Ent LTSC 2022 64-bit (WIN10, Linux avail.)	\$2850
<u>PC1321APH</u>	21.5"	1920 x 1080	1000	3000:1	Projected Capacitive	Intel i3-7100U 2.4 GHz (i5, i7 options)	64GB SSD (128GB ~1TB avail.)	4GB (8~32GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (WIN11 or Linux avail.)	\$3025
<u>OMI6921BP</u>	21.5"	1920 x 1080	250	3000:1	Projected Capacitive	Intel Core i5 6300U 2.4GHz	64GB MLC SSD (128Gb ~1TB avail.)	8GB (16GB avail.)	Aluminum Enclosure	UL , IP66, NEMA4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 64-bit (Linux avail.)	\$3360

Model Number	Display & Touchscreens					CPU	Storage		Enclosure	Features	Operating Systems	List Price
	Size	Resolution	Nits	Contrast Ratio	Touchscreen		SSD	RAM				
<u>OMI6821BPHEB</u>	21.5"	1920 x 1080	1000	3000:1	Optically Bonded Capacitive	Intel Apollo Lake N4200 1.1GHz	64GB MLC SSD (128GB ~1TB avail.)	4GB	Aluminum Enclosure	Wide-Operating Temp., UL, IP66, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 64-bit (Linux avail.)	\$3785
<u>OMI6824CP</u>	23.8"	1920 x 1080	250	3000:1	Projected Capacitive	Intel Celeron J6412 2.0 GHz	128GB MLC SSD (256GB ~1TB avail.)	8GB (16~32GB avail.)	Aluminum Enclosure	UL, IP66, NEMA 4, Wi-Fi Available	Win 11 IoT Ent GAC 2022 64-bit (Linux avail.)	\$2400
<u>PC8124AP</u>	23.8"	1028 x 1024	350	800:1	Projected Capacitive	Intel Celeron J6412 2.0 GHz	128GB MLC SSD (256GB ~2TB avail.)	8GB (16~32GB avail.)	304 Stainless Steel	IP66/IP69K all sides, Wi-Fi Available	Win 11 IoT Ent LTSC 2022 64-bit (WIN10, Linux avail.)	\$2950
<u>PC1227AP</u>	27.0"	1920 x 1080	300	1000:1	Projected Capacitive	Intel Pentium N4200 1.1 GHz	64GB SSD (128GB ~1TB avail.)	4GB (8GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (Linux avail.)	\$2635
<u>PC1327AP</u>	27.0"	1920 x 1080	300	1000:1	Projected Capacitive	Intel i3-7100U 2.4 GHz (i5, i7 options)	64GB SSD (128GB ~1TB avail.)	4GB (8~32GB avail.)	Black Steel Chassis, Aluminum Heatsink	IP65, NEMA 4, Wi-Fi Available	Win 10 IoT Ent LTSC 2021 (WIN11 or Linux avail.)	\$3040

Configuration Options		
Processor Options	PC1300 Models	PC2300 Models
Intel Core i5-7300U @ 2.6 GHz	+ \$320	N/A
Intel Core i5-7500T @ 2.7 GHz	N/A	+ \$320
Intel Core i7-7600U @ 2.8 GHz	+ \$690	N/A
Intel Core i7-7700T @ 2.9 GHz	N/A	+ \$690

Memory Options	PC1200 Models	PC1300 Models	PC8100 OMI6000 Models ⁽¹⁾	PCS6000 OMI6000BPHEB Models	PC2300 Models
4 GB	Included	Included	N/A	Included	N/A
8 GB	+ \$60	+ \$60	Included	N/A	Included
16 GB	N/A	+ \$95	+ \$95	N/A	+ \$95
32 GB	N/A	+ \$275	+ \$275	N/A	+ \$275
(1) Note: See product data sheets for specifications					

Storage Options	PC1200 Models	PC1300 Models	PC8100 OMI6000 Models ⁽²⁾	PCS6000 Models	PC2300 Models
64 GB MLC SSD	Included	Included	N/A	Included	Included
128 GB MLC SSD	+ \$70	+ \$45	Included	+ \$45	+ \$45
256 GB MLC SSD	+ \$180	+ \$155	+ \$155	+ \$155	+ \$155
512 GB MLC SSD	+ \$325	+ \$300	+ \$300	+ \$300	+ \$300
1TB MLC SSD	+ \$650	+ \$650	+ \$650	+ \$650	+ \$650
2TB MLC SSD	N/A	N/A	+ \$500	N/A	N/A
(2) Note: See product data sheets for specifications. Not all models support 2TB.					

Expansion Options	PC2300 Models	All other Models
Wi-Fi Expansion Kit. Kit includes antenna and antenna cable	+ \$110	+ \$85
Notes: All Expansion must be specified at the time the order is placed.		

Operating Systems Options	PC1000 Models	PC8100 OMI6800 Models	OMI6900 Models	PCS6000 Models	PC2300 Models
Windows 10 IoT Enterprise 2021 64 bit EPKEA. Embedded License, activation not required.	Included in base price	Included in base price	Included in base price	Included in base price	Included in base price
Windows 10 IoT Enterprise 2021 64 bit PKEA. Recovery USB additional, customer must complete Windows activation.	Included in base price	Included in base price	Included in base price	Included in base price	Included in base price
Windows 11 IoT Enterprise 2022 64 bit EPKEA. Embedded License, activation not required.	Included in base price	Included in base price	N/A	N/A	Included in base price
Windows 11 IoT Enterprise 2022 64 bit PKEA. Recovery USB additional, customer must complete Windows activation.	Included in base price	Included in base price	N/A	N/A	Included in base price
Windows 11 PRO 64 bit. Recovery USB additional, customer must complete Windows activation.	\$200	\$200	N/A	N/A	\$200
Linux Ubuntu Desktop 22.04 LTS	-\$50	-\$50	-\$50	-\$50	N/A
See product datasheets for more information on operating system options					